

Trade name: Felgenreiniger extrem

Product no.: 187999

Current version : 1.0.0, issued: 09.07.2020

Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Felgenreiniger extrem

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1B; H314

STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS05



GHS07

Signal word

Danger

Trade name: Felgenreiniger extrem**Product no.:** 187999**Current version :** 1.0.0, issued: 09.07.2020**Replaced version:** -, issued: -**Region:** GB**Hazardous component(s) to be indicated on label:**hydrochloric acid
2-propylheptane-1-ol, ethoxylated**Hazard statement(s)**H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.**Precautionary statement(s)**P260 Do not breathe vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P390 Absorb spillage to prevent material damage.**Supplemental label elements**Regulation (EC) No 648/2004 on detergents (Annex VII):
5-15% non-ionic surfactants**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	hydrochloric acid		
	7647-01-0 231-595-7 017-002-01-X 01-2119484862-27	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 Met. Corr. 1; H290	>= 10.00 - < 25.00 %-b.w.
2	2-propylheptane-1-ol, ethoxylated		
	160875-66-1 - - -	Eye Dam. 1; H318 Acute Tox. 4; H302	>= 5.00 - < 10.00 %-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
----	------	-------------------------------	------------------	--------------------

Trade name: Felgenreiniger extrem**Product no.:** 187999**Current version :** 1.0.0, issued: 09.07.2020**Replaced version:** -, issued: -**Region:** GB

1	-	Met. Corr. 1; H290: C >= 0.1% Skin Irrit. 2; H315: C >= 1% Eye Dam. 1; H318: C >= 1% STOT SE 3; H335: C >= 10% Skin Corr. 1B; H314: C >= 10% Skin Corr. 1A; H314: C >= 25%	-	-
---	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Hydrogen chloride (HCl)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Trade name: Felgenreiniger extrem**Product no.:** 187999**Current version :** 1.0.0, issued: 09.07.2020**Replaced version:** -, issued: -**Region:** GB**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dilute with plenty of water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
	2000/39/EC		
	Hydrogen chloride		
	WEL short-term (15 min reference period)	15	mg/m ³ 10 ppm
	WEL long-term (8-hr TWA reference period)	8	mg/m ³ 5 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Hydrogen Chloride gas and aerosol mists		
	WEL short-term (15 min reference period)	8	mg/m ³ 5 ppm
	WEL long-term (8-hr TWA reference period)	2	mg/m ³ 1 ppm

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	hydrochloric acid	7647-01-0 231-595-7		
	inhalative	Short term (acut)	local	15 mg/m ³

Trade name: Felgenreiniger extrem

Product no.: 187999

Current version : 1.0.0, issued: 09.07.2020

Replaced version: -, issued: -

Region: GB

inhalative	Long term (chronic)	local	8	mg/m ³
------------	---------------------	-------	---	-------------------

PNEC values

No	Substance name	CAS / EC no
ecological compartment		Type
		Value
1	hydrochloric acid	7647-01-0 231-595-7
	water	fresh water
	water	marine water
	water	Aqua intermittent
	sewage treatment plant	-
		0.036 mg/L
		0.036 mg/L
		0.045 mg/L
		0.036 mg/L

8.2 Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection mask with combination filter.

Respirator E-P2

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0.5	mm
Breakthrough time	>	120	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour	
liquid	
red	
Odour	
characteristic	
Odour threshold	
No data available	
pH value	
Value	0
Boiling point / boiling range	

Trade name: Felgenreiniger extrem

Product no.: 187999

Current version : 1.0.0, issued: 09.07.2020

Replaced version: -, issued: -

Region: GB

No data available

Melting point / melting range

No data available

Decomposition point / decomposition range

No data available

Flash point

No data available

Auto-ignition temperature

No data available

Oxidising properties

No data available

Explosive properties

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

Value	1.09	g/cm ³
Reference temperature	20	°C

Solubility in water

Comments	miscible
----------	----------

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

Trade name: Felgenreiniger extrem

Product no.: 187999

Current version : 1.0.0, issued: 09.07.2020

Replaced version: -, issued: -

Region: GB

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

strong bases; strong oxidizing agents

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Felgenreiniger extrem
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity	
No data available	

Acute dermal toxicity	
No data available	

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Species with reference to	rabbit		
Method	37% HCl		
Source	OECD 404		
Evaluation	ECHA		
	corrosive		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Species with reference to	rabbit		
Method	10% HCl		
Source	OECD 405		
Evaluation	ECHA		
	Irreversible effects on the eye		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Route of exposure	Skin		
Species with reference to	guinea pig		
	98% HCl		

Trade name: Felgenreiniger extrem

Product no.: 187999

Current version : 1.0.0, issued: 09.07.2020

Replaced version: -, issued: -

Region: GB

Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity	
No data available	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
Route of exposure		inhalational	
Species		rat	
Method		OECD 451	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
LC50		3.25	- 3.5 mg/l
Duration of exposure			96 h
Species		Lepomis macrochirus	
with reference to		100% HCl	
Source		ECHA	

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
EC50		4.92	mg/l
Duration of exposure		48	h
Species		Daphnia magna	
with reference to		36% HCl	
Method		OECD 202	
Source		ECHA	

Toxicity to Daphnia (chronic)	
No data available	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.

Trade name: Felgenreiniger extrem**Product no.:** 187999**Current version :** 1.0.0, issued: 09.07.2020**Replaced version:** -, issued: -**Region:** GB

1	hydrochloric acid	7647-01-0	231-595-7
EC50		4.7	mg/l
Duration of exposure		72	h
Species with reference to	Chlorella vulgaris		
Method	36% HCl		
Source	OECD 201		
	ECHA		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No	Substance name	CAS no.	EC no.
1	hydrochloric acid	7647-01-0	231-595-7
EC50		5	- 5.5 mg/l
Duration of exposure			3 h
Species with reference to	activated sludge		
Method	36% HCl		
Source	OECD 209		
	ECHA		

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

Trade name: Felgenreiniger extrem**Product no.:** 187999**Current version :** 1.0.0, issued: 09.07.2020**Replaced version:** -, issued: -**Region:** GB**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C1
Packing group	II
Hazard identification no.	80
UN number	UN1789
Proper shipping name	HYDROCHLORIC ACID solution
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1789
Proper shipping name	HYDROCHLORIC ACID solution
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1789
Proper shipping name	Hydrochloric acid solution
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3
-----------------------------------------------------------------------------------------	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Trade name: Felgenreiniger extrem**Product no.:** 187999**Current version :** 1.0.0, issued: 09.07.2020**Replaced version:** -, issued: -**Region:** GB

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.
The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763190